BILL NO. S-79-11-58

SPECIAL ORDINANCE NO. S-225-79.

AN ORDINANCE approving a blanket purchase order - City Utilities Purchase Order No. B-1528 for Fire Hydrants for the Water Maintenance & Service Department.

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That the blanket purchase order - City Utilities

Purchase Order No. B-1528, dated November 9, 1979, between the City of Fort

Wayne, by and through the City Utilities Purchasing Agent and the Board of

Public Works and Treaty Company, for:

Approximately 150 Mueller A-423 Fire Hydrants for use by the Water Maintenance and Service Department, all as more particularly set forth in said purchase order, which is on file in the Office of the Department of Purchasing and is by reference incorporated herein and made a part hereof, be and the same is in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be in full force and effect from and after its passage and approval by the Mayor.

APPROVED AS TO FORM & LEGALITY

William N. Salin, City Attorney

Councilman

Read the fi	rst time in full an	d on motion by	Burns	, sec	onded by
Huge	, and duly	adopted, rea	d the second time b	y title and re	eferred to the
Committee on	Cuty o	1 tetelie	(and the City	Plan Commi	ssion for
recommendation)	and Public Hearin	ig to be held a	fter due legal notic	ce, at the Cou	ıncil Chambers,
City-County Build	ding, Fort Wayne,	Indiana, on		he	day
of	, 19	at	o'clock	W.,E.S.T.	
DATE:	11-27-79		CITY CLE	o. W. letos RK	terman free
Read the th	nird time in full an	d on motion b	y_Bu	ms	,
seconded by	V. Schm	uich, an	d duly adopted, pla	aced on its pa	assage.
PASSED (LOST) by the following	vote:			
	AYES	NAYS	ABSTAINED	ABSENT	TO-WIT:
TOTAL VOTES	_7_			2	·
BURNS					
HINGA					
HUNTER					
MOSES		<u> </u>			-
NUCKOLS			-		
SCHMIDT, D.			0		
SCHMIDT, V.		****			
STIER					-
TALARICO					
DATE:	12-11-75		CITY CLE	M. A.A.	Herman
Passed and	adopted by the C	ommon Counc	il of the City of For	t Wayne, Ind	iana, as
(ZO NING MAP) (GENERAL) (ANN	EXATION) (S	PECIAL) (AP PROI	PRIATION) O	RDINANCE
(RESOLUTION)	No. 2.225-	75. on the	(SEAL)	by of Oc	center, 1927.
the last	1171		(SEAL)	mes S	Lan
CITY CLER	V. Illestesme	me	PRESIDIN	G OFFICER	
Presented	by me to the Mayo	r of the City o	f Fort Wayne, Indi	ana, on the _	12.22
day of 100	Pelata, 1979,	at the hour o	f 2:30 o'cloc	<u>S.</u> m.,e.s	5.Т.
			CITY CLE	M. Well	elesuram
Approved	and signed by me	this		Den	ember , 19 <u>79</u>
at the hour of	/O o'cl	ock	——————————————————————————————————————	18.T.	7
			Table	KILLIS	nstrong
			MAYOR		T

Bill No.	S-79-11-58		•		
	REPORT	OF THE COMMI	TTEE ONCI	TY UTILITIE	S .
We, your	Committee on City U	tilities	to whom was	s raferred an	Ordinance
	approving a blanket p	ourchase ord	der - City	Utilities Pu	rchase Order
	No. B-1528 for Fire				
	Department	***	•		
`.			:		-
					The second secon
				Walter and the Annual Angles and Annual	
			***************************************		-
				1	× × × × × × × × × × × × × × × × × × ×
-		-			
	·		•		
nave had	said Ordinance under consid	daration and	has laste to		
			neg reave to	report back t	o the Common
	hat said Ordinance	TASS.	26		
	. J. TALARICO - VICE CH	AIRMAN	- June	01	1-0.
	G. SCHMIDT		Jam	mer di.	Jalanio
	J. SCHMIDT		00	51	16 Brend V
	S. STIER			JOHN	
		-75 CONCURRE	· · · · · · · · · · · · · · · · · · ·	M	
	DATE	CHARLES W. V	ED IN / VESTERMAN, CITY	CLEDY	

Memorandum

To	н. Р.	Wehrenberg,	Board of	Works	Date	November	9,	1979

From Ruth Winget, Purchasing Department

Subject ___Bid_Reference #549, Fire Hydrants

COPIES TO:

E. A. Stanczak N. Nagel J. Moran Attached are tab and bids relating to Purchase Order No. B-1528, which has been prepared favoring Treaty Company for Est. Qty. (150) Fire Hydrants for 1980 for Water Maintenance & Service Department. Also attached is a memo from the Administrative Aide of Water Maintenance & Service Department explaining the reasons favoring Treaty Company.

Please include the attached supporting information when this ordinance is submitted to City Council for approval. No confirming Purchase Order Number is to be given to Treaty Company until evidence of Council approval is furnished to the Purchasing Department.

R. A. Winger

Approved Jones R. Snyder (SDM)

NOTAD HW. BOARD OF PUBLIC WORKS NOV O 9 1979

Fund

Appropriation No.

RM 6720 5-48	CITY	OF E	OK	TW	AYI
	DEPA	RTMEN	T OF	PURC	HASE

Number One Main St., Ft. Wayne, Ind.

INVITATION ess or services, for the departs

"Mail all replies and James R. Snyder 423-7037 DEPARTMENT OF PURCHASES

Room 470. Number One Main St., Ft. Wayne, ind.

REQUIRED FOR DELIVERY TO: Department

Water Maintenance & Service Dept. or Division 415 East Wallace Street

Fort Wayne, Indiana 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Closing Thursday, October 11, 1979 at 11:30 A. M. -Time of Bids.

TAXES: THE CITY IS EXEMPT FROM PEDERAL EXCISE AND ENDIANA STATE SALES TAX THE CITY BEDIANA SALES TAX EXEMPTION
CHEFFICATE NUMBER IS NO, MINE PRICES EXCUED NOT INCLUDE THERE TAXES, See "Instructions to Bidder" No. 10 on Perfere bered for Se TAX EXEMPT (Unless otherwise indicated)

PERSONAL PROPERTY.	Unit	Manufala, Sandles, Lyalymant or Sarrious	Unce Prime	Amend
		FIRE HYDRANTS - 1980 REQUIREMENTS	×	
		Estimated usage for January 1, 1980 thru December 31, 1980	*	
		The enclosed NON-COLLUSION AFFIDAVIT must be properly executed and returned as part of your bid. $$		
	,	We require a guaranteed firm price for the period January 1, 19 thru December 31, 1980 and delivery to our yard within 30 days notification of release. This will not be a one time purchase. It is anticipated that release quantities will be 25 to 30 hydrants per release.		
		Your parts list, with discounts, must accompany your bid.		- 0
		A Blanket Purchase Order will be issued to the successful company, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.	-	
	-	Affirmative Action ON FILE: ATTACHED: X	. (• •	

Eld Bond squired M Terms 2 % cash	See therreston item No within 30 days fr			goods or completion of servi	ces.
	 PROPOSA	AL OR BID			

In compliance with the above invitation for Mis and mishes to all conditions thereof, the motortiqued offers and agrees. If this bid he assemble within a reasonable from date of circus, to invitab any or air of the linear or reason rows arrives apon which prices are queend, in ecceptance with the specifications applying and as the personal lines. Delivery of any or all of the items or completion of services indicated shall be made within 75days from receipt of order 25 As delivery may be a deciding factor in the award of an order, it is becomes that hiddens furnish the intermedian requested above. IMPORTANT S

7	1	Man Heres			
•		MUELLER			
	Vale	U.F. HLAY	Haron of	Sales	Service
	Address	1401 4	ue1le:	. Avenue	
_	_	Chattar	nooqa,	TN	10/3/79

10/3/79 37406

SPECIFICATIONS FOR FIRE HYDRANTS

Fire hydrants used in the construction of water mains, and replacements thereof, shall be made in accordance with the latest revision of the American Water Works Association Standard, Designated #C-502.

Fire hydrants shall be constructed such that the main valve closes with the line pressure. The main valve opening shall be a minimum of 5" and its assembly, including the drain valve assembly, shall be removable through the upper barrel without removal of the nozzle section. The main valve seat ring shall thread into a bronze insert located in the shoe of the hydrant. All bronze or brass parts shall be constructed of 85-5-5-5% waterworks bronze. All flow characteristics of hydrants offered and supplied shall meet or exceed those specified in AWM Standard #0-502.

Fire hydrant lower barrels may be constructed of either cast or ductile iron; however, all connecting parts, including flanges and hydrant shoe, must also be of the same material as the lower barrel. The lower barrel shall be of sufficient length so as to connect with the hydrant leg. The ground line flange is to be located not less than two (2") inches or more than six (6") inches above the finished grade of the adjacent area (normally installed in a 5½' deep trench).

The connection between the upper and lower barrels of hydrants shall be in the form of a traffic safety device that will allow rotation of the upper barrel in any increment from 1 to 180 degrees, without disassembly and shall not be restricted by bolt hole placement. The upper and lower stem shall be joined by a traffic safety stem coupling which, along with the connection between the upper and lower barrels, will break on traffic impact.

The bonnet or top section shall be equipped with a lubricant reservoir or chamber designed such that the operating threads of the stem will, at all times, be totally enclosed. The operating nut shall have a weather shield cast integrally with it, and all pressure seals shall be rubber O-rings.

Fire hydrants shall be equipped with 1½" pentagon operating nut and hose nozzle cap removal device; one, ½" pumper and two, 2½" hose nozzles, each with National Standard Fire hose threads of four (4) and seven and one half (7½) threads per inch, respectively; they shall be painted Federal Yellow; the shoe connection for attachment to the water main shall be 6" mechanical joint, complete with accessories, including lead-tipped rubber gaskets, designed to fit either centrifugal or pit cast pipe.

Each bidder offering to furnish fire hydrants to the City of Fort Wayne, Indiana shall, as a part of his bid, designate the make and model of hydrant to be furnished. Also, each bidder shall furnish two copies of each of the following:

- A) Assembly drawings listing part names, part numbers, material and ASTM numbers.
- B) Flow and Design test information from an independent testing authority (U.L. or F.M.).
- C) A written statement of compliance or non-compliance to specifications. If exceptions are taken they must be listed and justified.

Prepared by: D. L. Foland, P. E. Chief Water Engineer 7/13/79

Revised 7/26/79

The MUELLER® 5-1/4" A-423 CENTURION® Hydrant complies with AWWA Standard C-502. The A-423 does have a weather shield, but it is not cast integrally with operating nut.

The A-423 will be furnished with a 6" D-150 MJ shoe which will fit either Class AB or Class CD pipe by interchange of gasket. Lead-tip gasket is not available with the D-150 shoe.

KOWM P	PZ3 1-41	CITY OF FURT WAYNE			
į.	11 1	DEPARTMENT OF PURCHASES Imber One Main St., Ft. Wayne, Ind. 46802	· E	age_1	of 5
	1	INVITATION	Ref. No	. 5	49
	Contation	a, subject to the conditions on the reverse bered, are requested on the following list of surplies, equipment or pervious, for the department as mantioused, with delivery to destination			
	Az shown	below. Contations thall include all charges for delivery, peaking, etc. Assirves your reply as	Date	Septemb	er 13, 197
*Mail all r	been soller	James R. Snyder 423-7037 DEPARTMENT OF PURCHASES	Data wa	inted	
Address R	Room	470, Number One Main St., Ft. Wayne, Ind. 46802			
REQUI	RED F	OR DELIVERY TO:			
Departs or Divi	ment ision	Water Maintenance & Service Dept.	Fund Appropr	riation No	۰. ــــــــــــــــــــــــــــــــــــ
Address	_	415 East Wallace Street Fort Wayne, Indiana, 46803	Designation of the last of the		-
	-	GINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FIL	Œ		
Closing Time of	# 101.3	Thursday, October 11, 1979 at 11:30 A. M.			
TAX:		TAX EXECUTORS INCLUDE THE THIRD PROPERTY INCLUDE THE TAX EXECUTION OF TAX EXECUTION OF THE TA	AVA SALTS	TAX EIR	Deficie for detaile.
Comment by	Unia	Maneriale, Supplies, Zentyment or Servines		Uses Prime	Treat
		FIRE HYDRANTS - 1980 REQUIREMENTS			100
		Estimated usage for January 1, 1980 thru December 31, 19	980		
		The enclosed NON-COLLUSION AFFIDAVIT must be properly early returned as part of your bid.	ecuted		-
		We require a guaranteed firm price for the period Januar thru December 31, 1980 and delivery to our yard within in notification of release. This will not be a one time po It is anticipated that release quantities will be 25 to hydrants per release.	0 days	80	
		Your parts list, with discounts, must accompany your bid	1.		
		A Blanket Purchase Order will be issued to the successfucompany, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departments or the succession of the purchase orders.		÷ .	
	ī	Affirmative Action ON FILE: Yes ATTACHED:			
	÷				, T
Bid Bond		NO TOS NO TOS			
Terma Me	required.	See transactes item No. 18 on reverse side bereal. Cash discount if paid within 30days from delivery and acceptance of goo		mlables e	# a.umil.a.u
Technique	/0	FROPOSAL OR BID	XLS OF COIL	thisrion o	r services.
In compl	lane with		os od bid sta tis epodisi	espeed within	a resoughle
Delivery	e of simila mits suca of any	the above invitation for hids and subject to all conditions thereof, the understreed office and extreme. It's retaining or earlier the literature of the state of		m receip	te sod order ^w S
	,	IMPORTANT [3] As delivery man by a desiding factor in the award of furnish the interpretation revocated above.	d an order, i	ž is beserva	a that hidders
		Man Berri W. R. Viveres	Dump 0.	Sunn	T. Tnc.
		/ // Happa	of Company	2 Pres	,
		FOR fileston and the second se	nton S	A	
1		AGE THE STATE OF T	IN IN	,	10-9-79
_		Fc. wavne,	.14	>»	

BRAND NAME:	CATALOG NO
KENNEDY	K-10B
AMERICAN - DARLING	B-62B
TRAVERSE CITY	H-1-M
WATEROUS	WB-67
MUELLER	A-419

Eatimated Usage - 150

Hydrant Traffic Type 5' 6" Bury\$ 411.59]	iŝ
Add or Deduct for each 6" variation in trench depth\$ 7.10	_
Percentage of discount from included parts list	_
Quoting American - Darling B62-B	

5-1/4" American-Darling Quik-Fix Hydrant, w/2 2-1/2" hose nozzles, 1 - μ -1/2" steamer nozzle, 5'6" trench, 6" MJ base w/MJ accessories, including lead tipped gasket & weather shield.

Exceptions to specifications:

- Lower barrel is ductile iron; lower barrel flanges & base are cast iron.
- Weather shield is not cast integrally with operating nut.

FOB: Ft. Wayne, Indiana Terms: Net 30 Days NOTE: Acceptance must be made within 60 (sixty) days for prices to be firm for 1980.

Y OF FORT WAY FORM STEER DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind.

INVITATION

, salies to the conditions on the reverse hereof, are requested on the following that of supplies, equipment or services, for the department as neutrinosed, with delivery to destination above. Constitute shall instruce all charges for delivery, pasting, e.e. Accorner your reports

Ref.	No.	-	_	54	9	

"Mail sil replies and James R. Snyder 423-7037 DEPARTMENT OF PURCHASES

Data September 13,

Date wanted

Room 470, Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO:

Water Maintenance & Service Dept.

Fund Appropriation No.

Department or Division

415 Fast Wallace Street Fort Wayne, Indiana, 46803

RETURN ORIGINAL TO THE CITY -- RETAIN DUPLICATE COPY FOR YOUR FILE

Thursday, October 11, 1979 at 11:30 A. M. Time of Bids

TATING THE CITY IS RESPONDED FROM FROMEN AND ENGLISH AND ENGLISH FALLS ALIES THE CITY'S DOMENA SALES THE EXAMPTION CONTROL NOW HAVE A PRICE STRUCKLED NOW DOLLING TESTS. TALES AND THE TRANSPORTED IN RELEASE AND AND THE SALES AN

46802

46802

Constity	Units	Masortile, Sugalius, Ilyaipusent or Services	Unit Prime	Treat Amongs
		FIRE HYDRANTS - 1980 REQUIREMENTS		
		Estimated usage for January 1, 1980 thru December 31, 1980		
		The enclosed NON-COLLUSION AFFIDAVIT must be properly executed and returned as part of your bid.		
		We require a guaranteed firm price for the period January 1, 19 thru December 31, 1980 and delivery to our yard within 30 days notification of release. This will not be a one time purchase it is anticipated that release quantities will be 25 to 30 hydrants per release.	80	
		Your parts list, with discounts, must accompany your bid.		
		A Blanket Purchase Order will be issued to the successful company, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.		
	1	Affirmative Action CN FILE: ATTACHED:		

Bid Bond required M.		Performance			
		procedon item No. 16 on reverse :			
Terms% cash	discount if paid within	days from delivery	and accep	tance of gr	ods or completion of services.
17.4 70		PROPOSAL OR BIT	D.		

Delivery of any or all of the items or completion of services indicated shall be made within, days from receipt of order 🕏 An delivery may be a deciding factor in the award of an order, it is important that hiddens formula the information recreased above. IMPORTANT 157

(1)	Hause of Company	Jate & Ripe
		Mata) Kipu
	US 31 N	
00 X10 K16	me, Inp	De 10-10-7

SPECIFICATIONS FOR FIRE HYDRANTS

Fire hydrants used in the construction of water mains, and replacements thereof, shall be made in accordance with the latest revision of the American Water Works Association Standard, Designated #0-502.

Fire hydrants shall be constructed such that the main valve closes with the line pressure. The main valve opening shall be a minimum of 5" and its assembly, including the drain valve assembly, shall be removable through the upper barrel without removal of the nozzle section. The main valve seat ring shall thread into a bronze insert located in the shoe of the hydrant. All bronze or brass parts shall be constructed of 85-5-5-5% waterworks bronze. All flow characteristics of hydrants offered and supplied shall neet or exceed those specified in AWWA Standard #0-502.

Fire hydrant lower barrels may be constructed of either cast or ductile iron; however, all connecting parts, including flanges and hydrant shoe, must also be of the same material as the lower barrel. The lower barrel shall be of sufficient length so as to connect with the hydrant leg. The ground line flange is to be located not less than two (2") inches or more than six (6") inches above the finished grade of the adjacent area (normally installed in a 5½' deep trench).

The connection between the upper and lower barrels of hydrants shall be in the form of a traffic safety device that will allow rotation of the upper barrel in any increment from 1 to 180 degrees, without disassembly and shall not be restricted by bolt hole placement. The upper and lower stem shall be joined by a traffic safety stem coupling which, along with the connection between the upper and lower barrels, will break on traffic impact.

The bonnet or top section shall be equipped with a lubricant reservoir or chamber designed such that the operating threads of the stem will, at all times, be totally enclosed. The operating nut shall have a weather shield east integrally with it, and all pressure seals shall be rubber O-rings.

Fire hydrants shall be equipped with $1_2^{\rm H}$ pentagon operating nut and hose nozzle cap removal device; one, $4_2^{\rm H}$ pumper and two, $2_2^{\rm H}$ hose nozzles, each with National Standard Fire hose threads of four (4) and seven and one half (72) threads per inch, respectively; they shall be painted Federal Yellow; the shoe connection for attachment to the water main shall be 6" mechanical joint, complete with accessories, including lead-tipped rubber gaskets, designed to fit either centrifugal or pit cast pipe.

Each bidder offering to furnish fire hydrants to the City of Fort Wayne, Indiana, shall, as a part of his bid, designate the make and model of hydrant to be furnished. Also, each bidder shall furnished. Also, each of the following:

- A) Assembly drawings listing part names, part numbers, material and ASTM numbers.
- B) Flow and Design test information from an independent testing authority (U.L. or F.M.).
- C) A written statement of compliance or non-compliance to specifications. If exceptions are taken they must be listed and justified.

Prepared by: D. L. Foland, P. E. Chief Water Engineer 7/13/79

Revised 7/26/79

BRAND NAME:	CATALCG NO	
KENNEDY	K-10B	
AMERICAN - DARLING	B-62B	
TRAVERSE CITY	H-1-M	
WATEROUS	WB-67	
MUELLER	A-419	
Eatimated Usage - 150		
Hydrant Traffic Type 5' 6" Bury	y	s <u>394.00</u>
Add or Deduct for each 6" varia	ation in trench depth	\$ 12.00
Percentage of discount from inc	cluded parts list	\$ 10%
	low Challewel He Flug SENT UNDER	

CITY OF FORT WAYNE

CITY UTILITIES

DEPARTMENT OF PURCHASES CITY-COUNTY BUILDING NUMBER ONE EAST MAIN STREET FORT WAYNE, INDIANA 46802

Treaty Company Box 40 Greenville, Ohio 45331

ORIGINAL PURCHASE ORDER NO.B-

This number must appear on each package, packing slip, invoice, bill of lading, express receipt and correspondence.

DATE November 9, 1979

SHIP TO -

Water Maintenance & Service Dept. 415 East Wallace Street Fort Wayne, Indiana 46803

MAIL ALL INVOICES TO -

GENERAL ACCOUNTING 4th FLOOR CITY - COUNTY BUILDING NUMBER ONE EAST MAIN STREET FORT WAYNE, INDIANA 46802 INVOICE IN DUPLICATE, INCLUDING CERTIFICATION AS REQUIRED BY INDIANA STATE BOARD OF ACCOUNTS

BLANKET PURCHASE ORDER FOR 1980 FOR FIRE HYDRANTS Mueller A-423 516" Bury Add or Deduct for each 6" variation in trench depth \$9.04 Percentage of discount from included part list 5% ESTIMATED \$62,772. Accounting the control of t	UANTITY	QUANTITY	DESCRIPTION	ACC'T.	OR UNIT PRICE	TOTAL
BLANKET PURCHASE ORDER FOR 1980 FOR FIRE HYDRANTS Mueller A-423 516" Bury Add or Deduct for each 6" variation in trench depth \$9.04 Percentage of discount from included part list 5% ESTIMATED \$62,772. **Set of the content of the	ECEIVEO	ORDEREO			NO.	
Add or Deduct for each 6" variation in trench depth \$9.04 Percentage of discount from included part list 5% Control of the second of the seco			FIRE HYDRANTS			
Included part list 5% Color of the part list 5% Fort Wayne, indiana 45002 Show P. O. Number on Packing Slip and Invoice. First Price Subject to councilmanic Approval	*	150	Add or Deduct for each 6" variation		418.48/ ea	-
			Per Bld Ref. #549 2% 10 Net 30	See Fort Wal	ENTIO es to General e. Cig-Cort ig E. kieln 98 yne, Indiana 4	N ! Accounting Bidg. 5002
Note: Requirements will be released on			SUBJECT TO COUNCILMANIC APPROVAL			
departmental Purchase Orders, against URS/pl this blanket order as required by the using department.		JRS/pl		rs, against	epartment.	

NOTE: TERMS OF PAYMENT MUST BE SHOWN ON FACE OF INVOICE. OTHERWISE A 2% CASH DISCOUNT WILL BE TAKEN

Rat-When this returns from Council send Copy of P.O. to: Treaty Co. 4020 Wells Thanks. Her

City Utilities

Please order the following Material for Delivery as Specified: On or before

	QUANTITY	DESCRIPTION	DIST. NO.	DEPARTMEN ESTIMATED CO	
		22	-154.C	2	
		Blanket Purchase Order,			
	Est Oty	Jan 1980 for Fire Hudrant :			
	150	mueller A-423 5'6" Bury	418.48	Lea o	
		add or Deduct for each 6"	#	2772	02
		variation in trench depth 9,04			
		Percentage of discount from			
		included part list 5%			
	Per	Bid Ret # 549			
	Su	bi to Comalhanic approva	e.		
~1	EVI 20	10 Net 301979 7:m Price			
	REMARKS: 7	O.B. Delivered			
a	urene	nts will be			
fl.	eased.	on departmental	. 0		
PI	chase	Prodes against Water Maint	- 4.	Jourse	-
u.	vicar	ner acaevas		α	

Date_ November 7, 1979

To: Mr. James Snyder - Director of Purchasing, City Utilities

Subject: Bid Ref. #549 - Fire Hydrants

We would like to recommend that the bid go to The Treaty Company. They are the only one that meet specifications.

Norbert Nagel - Administrative Aide Water Maintenance & Service Department City Utilities

NN/dm

RECEIVED PURCHASING DEPT.

NOV 8 1979 AM PM 7181911011112111213141516

TABULATION OF BIDS	-		
BID REF. 549	Est. 150		
DATE: 10/11/79 at 11:30 A.M.			
ITEM: Fire Hydrants	Fire Hydrants		
DEPT. W.M. & S.			*
Mueller Co. apparached	mueller A-423	add+ .a.	
1401 Mueller Ave.	421.40	Deduct 9.10	
Chattanooga, Tenn 37406	210-net-30	70-0	
Treaty Company aparticled 4020 Wells St. Afd. o.K.	mueller A-423 418,48	add + · · · · · · · · · · · · · · · · · ·	
Ft. Wayne, In. 46808 B-1528		%-5%	
0	ano-net-30 amer, Darling B62-B.	add +	
V.R. Myers Pump ala on file 3427 N. Clinton afr. O.K.	411.59	Reduct 7.10	
Ft. Wayne, In. 46808	nex.30 7.0.B. Delo:	%-ner	
Water Products			•
PO Box 60	No Bid		
Aurora, III. 60507			
Clow Corp. ala on sile 51591 US 31 N afd. O. K.	Clow Challenger 5,001	add + Deduct 12.00	
So. Bend, Ind. 46635	394.00	9.0 - 1090	• .
	ner30		
		,	
		4	
			- 22-
			1 14 19
			1
			-
1	·	·	
·			

RECORDS OF SIDS ISSUED TO BIDDERS

310 NO. 549 IT54: FIRE HYDRANT DEPARTMENT: W.M. & S. OPEN DATE: 10-11 TIME:	E4:FIRE_HYDRANT PARTHENT: W.M. & S. SEN_DATE: 10-11 TIME:11:30			
VENCOR NAME & ADDRESS	DATE - NAME BIO PICKED UP	CAROS MAILED	BIO MAILED	RETURNET
Mueller Company 500 W. Eldorado Street Decatur, Illinois 62525			9-18 - 79	19/10/79
American Darling & Valve P.O. Box 2727 Birmingham, Alabama 35202		-	9-18-79	
Wayne Pipe & Supply 1815 S. Anthony Blvd. Ft. Wayne, Indiana	* . ,	9-18-79		
V.R. Myers Pump 3427 N. Clinton St. Ft. Wayne, Indiana 46805	Bob Franke 9/20/79	9-18-79		•
Etna Supply 530 32nd St. S.E. Grand Rapids, Mich. 49508 Attn: Larry Pottgetter			10/5/79	
				e [*]
		-		
				,
				

RECORDS OF SIDS ISSUED TO BIDDERS

549 1T54:	11:30			-	-
VENCOR NAME & ADDRESS	DATE - NAME	BIO PICKEO UP	CAROS MAILED	BID MAILED	RETURNET
Kennedy Valve 1021 S. Water St. Elmira, New York				9-18-79	
Traverse City Iron Works Traverse City, Michigan		:	٠	9-18-79	
Clow Corporation 51591 U. S. HiWay 31 North South Bend, Indiana	_	*		9-18-79	10/11/19
Tri-State Plumbing 1120 Taylor Street Ft. Wayne, Indiana		-	9-18-79		
Treaty Company 4020 N. Wells Street Ft. Wayne, Indiana .	9-20-79 Paul	Pierce '	9-18-79		10/10/19
Traverse City Iron Works . 11861 Cottage Grove Avenue Chicago, Illinois 60628	ē	× .		9-18-79	- ×
American Cast Iron Pipe Suite 201 Cherry Creek Offic 2711 W. 183rd Street Homewood, Illinois 60430	e Bldg.			9-18-79	
Dresser Mfg. Div. Dresser Industries Inc. Bradford, Penn.		× .		9-18-79	
Sidener Supply of Ind 1680 Lane Indianapolis, Ind. 46234				9-18-79	
Sentry Comm & Industrial 1105 Division Dr. Ft. Wayne, Ind 46803			9-18-79		
	1			4	

TTY OF FORT WAYNE DEPARTMENT OF PURCHASES

46802 Number One Main St., Ft. Wayne, Ind.

INVITATION

us subject to the conditions on the reverse barend, are requested on the following lies of supplies, equipment or pervious, for the department as mentioned, with deliver to destination below. Crostolines shall include all charges for delivery, pasking, on Anarres your repor as

James R. Snyder 423-7037 DEPARTMENT OF PURCHASES Room 470, Number One Main St., Ft. Wayne, Ind. 46802

REQUIRED FOR DELIVERY TO:

Department Water Maintenance & Service Dept. or Division

·415 Fast Wallace Street Fort Wayne, Indiana 46803

RETURN ORIGINAL TO THE CITY-RETAIN DUPLICATE COPY FOR YOUR FILE

Thursday, October 11, 1979 at 11:30 A. M. Time of Bids

TAINS: THE CITY IS VINNET FROM FIDERAL EXCESS AND ENDIANA STATE SALES TAIL THE CITY'S ENDIANA SALES TAIL EXCEPTION CHEMICALE NUMBER IS NO. 11444, 231CH SKOULD NOT ENGLIDE THINK TAILES, des "Instructions to Bibbers" No. 13 on reverse herest for determined to the company of the

mentity	Unit	Manorinia, Supplies, Reprisement of Services	Unet Pries	Total Assemble
		FIRE HYDRANTS - 1980 REQUIREMENTS		
		Estimated usage for January 1, 1980 thru December 31, 1980		
		The enclosed NON-COLLUSION AFFIDAVIT must be properly executed and returned as part of your bid.	- 7	
		We require a guaranteed firm price for the period January 1, 19 thru December 31, 1980 and delivery to our yard within 30 days notification of release. This will not be a one time purchase. It is anticipated that release quantities will be 25 to 30 hydrants per release.	80	
		Your parts list, with discounts, must accompany your bid.		
		A Blanket Purchase Order will be issued to the successful company, after necessary Councilmanic Approval, and the hydrants are to be delivered only upon issuance of departmental purchase orders.		
	-	Affirmative Action ON FILE: ATTACHED: X		
		TERMS: 2% 10th Prox., Net 30 Days		É.
Bid Bond	beripper	NO YES Performance Bond S		

	I LICILO.	2/8 10011 11.	ox., nee oo bay					
	NO YES			2	19 172	Lancia de la constitución de la		-
Bid Bond_required	- D-		Performance	Bond 3	26 LI			-
Tames . 07.	each discoin		tractos item No. 16 on reverse days from deliver					
16(1110	Cash Ciscom	on paid within		and acc	septance of	goods or com	bracton or sela	1009-

to all conditions thereof, the understand offers and agrees, if this bid be assespt ader mak services upon which prices are quoted, in associance with the specification In compliance with the above invitation for bids and rub; time from date of sioning, to furnish any or all of the limns or prior we opposite such limn. Delivery of any or all of the items or completion of services indicated shall be made within I flays from receipt of order As delivery may be a deciding factor in the award of an order, it is important that hidden furnish the information. respected above. IMPORTANT S

i	The Treaty Company	
	THE CERTIFICATION THE	V.P.
	Box 40	

Greenville

45331

Ohio

1 of 6

549

Deta September 13. 197

Ref. No. -

Data wanted .

Appropriation No.

Fire hydrants used in the construction of water mains, and replacements thereof, shall be made in accordance with the latest revision of the American Water Works Association Standard, Designated #0-502.

Fire hydrants shall be constructed such that the main valve closes with the line pressure. The main valve opening shall be a minimum of 5" and its assembly, including the drain valve assembly, shall be removable through the upper barrel without removal of the nozzle section. The main valve seat ring shall thread into a bronze insert located in the shoe of the hydrant. All bronze or brass parts shall be constructed of 85-5-5-5% waterworks bronze. All flow characteristics of hydrants offered and supplied shall neet or exceed those specified in ANWA Standard #0-502.

Fire hydrant lower barrels may be constructed of either cast or ductile iron; however, all connecting parts, including flanges and hydrant shoe, must also be of the same material as the lower barrel. The lower barrel shall be of sufficient length so as to connect with the hydrant leg. The ground line flange is to be located not less than two (2") inches or more than six (6") inches above the finished grade of the adjacent area (normally installed in a 5½ deep trench).

The connection between the upper and lower barrels of hydrants shall be in the form of a traffic safety device that will allow rotation of the upper barrel in any increment from 1 to 180 degrees, without disassembly and shall not be restricted by bolt hole placement. The upper and lower stem shall be joined by a traffic safety stem coupling which, along with the connection between the upper and lower barrels, will break on traffic impact.

The bonnet or top section shall be equipped with a lubricant reservoir or chamber designed such that the operating threads of the stem will, at all times, be totally enclosed. The operating nut shall have a weather shield cast integrally with it, and all pressure seals shall be rubber O-rings.

Fire hydrants shall be equipped with 1_2^{11} pentagon operating nut and hose nozzle cap removal device; one, 4_2^{11} pumper and two, 2_2^{11} hose nozzles, each with National Standard Fire hose threads of four (4) and seven and one half (72) threads per inch, respectively; they shall be painted Federal Yellow; the shoe connection for attachment to the water main shall be 6" mechanical joint, complete with accessories, including lead-tipped rubber gaskets, designed to fit either centrifugal or pit cast pipe.

SPECIFICATIONS FOR FIRE HYDRANTS - continued

Each bidder offering to furnish fire hydrants to the City of Fort Wayne, Indiana, shall, as a part of his bid, designate the make and model of hydrant to be furnished. Also, each bidder shall furnish two copies of each of the following:

- A) Assembly drawings listing part names, part numbers, material and ASTM numbers.
- B) Flow and Design test information from an independent testing authority (U.L. or F.M.).
- C) A written statement of compliance or non-compliance to specifications. If exceptions are taken they must be listed and justified.

Prepared by: D. L. Foland, P. E. Chief Water Engineer 7/13/79

Revised 7/26/79

KENNEDY K-108	
AMERICAN - DARLING B-62B	
TRAVERSE CITY H-1-M	
WATEROUS WB67	
MUELLER xxxxxx A-423	
Eatimated Usage - 150	
Hydrant Traffic Type 5' 6" Bury	\$ 418.48
Add or Deduct for each 6" variation in trench depth	\$ -9.04
Percentage of discount from included parts list	= 51

BRAND NAME:

TITLE CF URDINANCE SPECIAL ORDINANCE - CITY UTILITIES BLANKET PURCHASE ORDER NO. B-1528 - TREATY CC. DEPARTMENT REQUESTING ORDINANCE BOARD OF PUBLIC WORKS SYNOPSIS OF ORDINANCE CITY UTILITIES BLANKET PURCHASE ORDER NO. B-1528, TREATY COMPANY FOR APPROXIMATELY 150 MUELLER A-423 FIRE HYDRANTS FOR USE BY THE WATER MAINTENANCE & SERVICE DEPT. (MEMORANDUM AND PURCHASE ORDER ATTACHED) EFFECT OF PASSAGEFOR INSTALLATION OF NEW FIRE HYDRANTS WHERE NECESSARY AND REPLACEMENT OF THOSE INOPERATE OR IN DISREPAIR EFFECT OF NON-PASSAGE SELF-EXPLANATORY MONEY INVOLVED (DIRECT COSTS, EXPENDITURES, SAVINGS) FROM CITY UTILITIES ASSIGNED TO COMMITTEE